Make sure you're connected to MSU-Secure WiFi For Canon & Kyocera please download the driver from a Web Browser first.

Go to Windows Settings,				
click on Printers	Find a setting	٩	Devices Mouse, keyboard, pen, audio, displays and docks, other devices	l device
	System			
	8 Bluetooth & devices		Printers & scanners Preferences	
	Network & internet			
	🥖 Personalization	,	Instantly access your mobile devices from your PC	
	Apps		Cameras Connected cameras, default image settings	
Select Add device	٠		Bluetooth & devices > Printers & scanners	
Select Add device	Eind a setting	٩	Bluetooth & devices > Printers & scanners	Add device
Select Add device	Find a setting	٩	Bluetooth & devices > Printers & scanners Add a printer or scanner CLS WIL 2206 CN5870 on hilgard Default	Add device
Select Add device	Find a setting System Bluetooth & devices	Q	Bluetooth & devices > Printers & scanners Add a printer or scanner CLS WIL 2206 CN5870 on hilgard Default	Add device
Select Add device	Find a setting System S Bluetooth & devices Network & internet	Q	Bluetooth & devices > Printers & scanners Add a printer or scanner CLS WIL 2206 CNS870 on hilgard Default Fax	Add device
Select Add device	Find a setting Find a setting System System Subcooth & devices Network & internet Personalization	Q	Bluetooth & devices > Printers & scanners Add a printer or scanner CLS WIL 2206 CNS870 on hilgard Default Fax	Add device



	Type a printer hostna	me or IP address
Device Type: Autodetect Hostname: See sticker on printer	Device type:	Autodetect ~
	Hostname or IP address:	NAS_AIH_HP607.msu.montana.edu
	Port name:	NAS AIH HP607.msu.montana.edu
	Query the printer and au	tomatically select the driver to use
	Autodetect detects WSD an To search for IPP printers, pl	d TCP/IP printers. ease select IPP from the drop down box
		Next Cancel
	Additional port inform	nation required
	The device is not found on	the network. Be sure that:
	1. The device is turned on.	
	 The network is connected The device is properly control 	d. onfigured.
	4. The address on the prev	nous page is correct.
	correct the address and per	form another search on the network. If you are sure the address type below.
	Device Type	
	Standard Generic N	letwork Card v
Standard "Generic Network Card"	Custom Setting	S
		Next Cancel
	Install the printer drive Choose your printer To install the driver f	r from the list. Click Windows Update to see more models. rom an installation CD, click Have Disk.
If you don't see HP in the Manufacturer list, select Windows Update (this step will take several minutes).	Manufacturer Adobe Canon Generic Microsoft	Printers
	This driver is digitally sig	ned. Windows Update Have Disk
		Next Cancel

Install the printer driver	
Choose your printer from To install the driver from a	the list. Click Windows Update to see more models. an installation CD, click Have Disk.
Manufacturer HotLabel HP HUAWEI Huawei Device Co., Ltd.	Printers HP Smart Universal Printing (v3.02.1) HP Tango PCL-3 HP Universal Printing PCL 6 HSTN-RP01(U)1
This driver is digitally signed. Tell me why driver signing is ir	Windows Update Have Disk
You've successfully added	HP Universal Printing PCL 6
You've successfully added	HP Universal Printing PCL 6
You've successfully added Set as the default printer To check if your printer is working printer, print a test page. Print a test page	HP Universal Printing PCL 6

Search for HP Universal Printing PCL 6 toward the bottom of the list.